

City of Morganton Municipal Auditorium

401 S. COLLEGE ST. MORGANTON, NC 28655 P O BOX 3448 MORGANTON, NC 28680-3448

CONTACT INFORMATION

PHONE: 828.438.5294 / 828.433.7469

1980's FAX: 828.438.5246

Director:

Mike Musick Ext. 4

Mmusick@ci.morganton.nc.us

Production Manager:

Anthony Bova Ext. 5

comma_td@ci.morganton.nc.us

Marketing/Hospitality:

Amber Austin Ext. 6

aaustin@ci.morganton.nc.us

FACILITY INFORMATION

HOUSE INFORMATION:

Total Seating Capacity is 1058. Orchestra seats 778, Balcony seats 280. There are 24 handicap seating spaces located in the lower rear of the auditorium.

Stage to house access is via brick stairs extreme stage left and right.

ORCHESTRA PIT:

Measures 48'x18' with seating room for about 40 musicians. There are numerous Edison outlets along the wall and **music stands with lights** are available (limited quantity) A Wenger **Pit Filler** may be erected to cover the pit (If scheduled in advance and does not conflict with event schedules). There is a scissor-jack **piano lift** center. Access to the pit is off the stage left hallway and down stairs

STAGE DIMENSIONS:

Proscenium Width: 40'-0"; Height: 24'-0".

Plaster Line to back wall: 39'-7"; PL to Cyc: 36'-11".

Apron (with Pit Filler **In**) to back wall: 51'-7".

Apron (with Pit Filler **Out**) to back wall: 44'-7"

Right wall to Left wall (in front of the Proscenium) is 66'-4".

SL Wing is 18'-0" x 39'-7"; **SR Wing** is 19'-0" x 39'-7".

STAGE FLOOR:

Height from house floor to stage is 3'-6".

The stage floor is sprung wood (T-in-Groove Oak) over concrete, painted brown.

There are no trapdoors and use of tape, screws, and/or nails in the floor is discouraged, but permitted in limited amounts. CoMMA does not own a Marley dance floor. There are limited stage platforms available.

STAGE RIGGING:

There are 39 single purchase line sets (each 52'-0" long), plus a fire curtain. Max load is 1500 lbs per arbor. See attached line set schedule for further details. The house has a Cougar Lift, Genie Lift, and various ladders available. An average trim height for sight lines is about 22'-0". Grid height is 57'-4". Stacking motor located in shop.

SOFT GOODS:

There are 6 sets of black velour legs (28'x10') & borders, one black velour full stage blackout curtain; one mid-stage traveler; one seamless black scrim; one CBS Grey muslin Cyc (28' x 52'); one projection screen (15'x20') and a Ruby velour Grand Drape manually operated vertically or horizontally. **Under no circumstances may scenery be taped or pinned to any of the soft goods.**

DRESSING ROOMS:

Located in the stage left hall are four dressing rooms (2 single; 2 chorus seating 14-20 each), with adequate racks, mirrors, toilet, and shower facilities. **Paging** is available through Clear-Com stations as well as a program feed to a ceiling speaker system.

Please note: City Ordinance prohibits smoking anywhere within the building.

WARDROBE:

In house we have: Irons, (3) Ironing boards, (6) rolling racks, and (2) jiffy steamers that are available. There is laundry on sight via two washers and two dryers. For larger needs there are several commercial locations nearby.

ELECTRIC:

The Control Booth is located in the rear of the main seating section. The house lighting system is an ETC ION console pushing 288 circuits/dimmers.

Dimmers are Strand CD80 2.4kw dimmers (DMX control) driven by Johnson control systems. Instruments may be hung from selected battens or locations. The house has two usable catwalk positions (approx. 40ft and 55ft), box booms, stage booms, 1st electric (raceway), and 13 floating boxes (making up 96 circuits). All connectors are stage pin.

House lights are controlled by a separate push button station.

Tour company lighting disconnect is upstage left (600 amp, 3 phase isolated power).

Company sound disconnect is downstage left (100 amp, single phase isolated power).

AUDIO:

The FoH sound console location is a level 10x10 area located just outside of the booth in the rear center section of the house. This location requires seat kills but, if desired a console can be located in the booth.

BACKLINE:

A Steinway D 9-foot concert grand, Yamaha Studio, 1957 B-3 Hammond, Leslie w/ tone cabinet. The Yamaha upright can be put into the orchestra pit.

A/V:

The System is (3) Panasonic 3-ccd remote cameras (1080i) inbound to Blackmagic ATEM Production studio 4k. Playback is to (3) Eiki Projectors to L, R screens (center can be added). The system also has an external patch (in booth) to link outside equipment for playback as well as a VGA located stage right.

Recording services: please contact office for any details.

STAGE HANDS:

CoMMA is a non-union house. Local talent performs all work required. Hand tools are limited in type and quantity. Major power tools, welders, etc. are not available


LOADING IN:

The covered loading dock is 3'-0" off the ground (truck height-ish) and can fit one 53' to the door. The loading dock is at stage level, outer door is 16" w x 10'8" h, straight into upstage right (door is 8' w x 10' h, or left into the scene shop area (door is 8' w x 10' h).

DIRECTIONS TO CoMMA:

From Interstate 40, take Exit 105, turn right toward Morganton, go approximately 1.6 miles, bear left onto S. College St. (By the lighted Events Marquee), then go approximately ½ mile (4 blocks), CoMMA will be on the right.

LOT MAP FOR TRUCKS:



COMMA HANGING SCHEDULE

<u>Line #</u>	<u>Use</u>	<u>Distance From PL</u>	<u>Inches From Previous Line</u>	<u>Weight</u>	<u>Notes</u>
A	Fire Curtain	0'-00"	0		
* 1	Grand Drape	1'-02"	14	30	
2	Border	1'-11"	9	5	
3	Legs	2'-04"	5	3	
4		2'-10"	6		
* 5	1st Electric	3'-04"	6	18	27 Circuits
6	Screen	4'-04"	12	6.5	
7		5'-04"	12		
8		6'-04"	12		
9	Border	7'-05"	13	3	
10	Legs	7'-11"	6	4.5	2' Return
11		8'-10"	11		
12		9'-11"	13		
13		10'-10"	11		
14		11'-11"	13		
15	Border	13'-11"	24	3	
16	Legs	14'-05"	6	4.5	2' Return
17		15'-11"	18		
* 18	Traveler	17'-05"	18	6.5	
19		18'-05"	12		
20		19'-05"	12		
21	Border	20'-05"	12	3	
22	Legs	20'-11"	6	4.5	2' Return
23		21'-11"	12		
24		22'-11"	12		
25		23'-11"	12		
26		24'-11"	12		
27		25'-11"	12		
28	Border	27'-06"	19	3	
29	Legs	27'-11"	5	4.5	2' Return
30		28'-05"	6		
31		29'-05"	12		
32		30'-05"	12		
33		33'-05"	36		
34		34'-05"	12		
35	Border	34'-11"	6	3	
36	Legs	35'-0-5"	6	4.5	2' Return
37	Scrim	35'-11"	6		
* 38	Blackout	36'-05"	6	6.5	
* 39	White Cyc	36'-11"	6	4.5	

Notes:

Average Pipe Length = 52'-0".
 Arbor Length = 9'-0"; Weight Per Arbor = 1500 lbs.
 Grid Height = 57'-4"; Pipes Will Fly to Grid (except #5 & #36).
 * are NOT Available for Other Than Designated Purpose.
 All legs have a 2' extension on each end.